

---

# SikaFiber 6 FF

---

## DECLARATION OF PERFORMANCE

### No. 1000000134

---

1	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	1000000134
2	<b>INTENDED USE/S</b>	EN 14889-2:2006 Polymer fibres for structural or non-structural use in concrete, mortar and grout
3	<b>MANUFACTURER:</b>	Sika UK Watchmead Welwyn Garden City AL7 1BQ
4	<b>AUTHORISED REPRESENTATIVE:</b>	
5	<b>SYSTEM/S OF AVCP:</b>	System 1
6a	<b>HARMONISED STANDARD:</b>	EN 14889-2:2006
	Notified body/ies:	0086

---

**7 DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Class	Ib	System 1	EN 14889-2:2006
Length	12mm-19mm	System 1	
Diameter	0.1mm-0.14mm	System 1	
Polymer Type	Polyolefin	System 1	
Shape	Fibrilated	System 1	
Vebe Time (Consistence with 0.9Kg/m3 of fibres)	18 seconds	System 1	

---

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

---

Name : John Eustace  
Function: Product Manager  
02 January 2018



---

Name : Tom Forsyth  
Function: Target Market Manager  
02 January 2018



---

End of information as required by Regulation (EU) No 305/2011

**Declaration of Performance**

SikaFiber 6FF  
1000000134 2018.01 , ver. 1

Position



13

Sika UK – Watchmead AL7 1BQ

DoP No. 1000000134

EN 14889-2:2006

Notified Body 0086

Polymer fibres for structural or non-structural use in concrete, mortar and grout

Class	lb
Length	12mm-19mm
Diameter	0.1mm-0.14mm
Polymer Type	Polyolefin
Shape	Fibrilated
Vebe Time (Consistence with 0.9Kg/m3 of fibres)	18 seconds

<http://dop.sika.com>

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

### Declaration of Performance

SikaFiber 6FF  
1000000134 2018.01 , ver. 1

Position

---

## LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

---

### Declaration of Performance

SikaFiber 6FF  
1000000134 2018.01 , ver. 1

Position